



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/992,310	11/19/2001	Laurence I. Rockwell	7784-000188	7369
27572	7590	02/22/2006		
HARNESS, DICKEY & PIERCE, P.L.C. P.O. BOX 828 BLOOMFIELD HILLS, MI 48303			EXAMINER PEACHES, RANDY	
			ART UNIT	PAPER NUMBER
			2686	

DATE MAILED: 02/22/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No. 09/992,310	Applicant(s) ROCKWELL, LAURENCE I.	
	Examiner Randy Peaches	Art Unit 2686	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 02 December 2005.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 20-28,30-31 and 34-40 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 20-28,30,31 and 34-40 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

1. ***Claims 20-28, 30-31 and 34-40*** are rejected under 35 U.S.C. 103(a) as being unpatentable over Huff et al. (U.S. Patent Number 6,408,391 B1) in view of Monroe (U.S. Patent Number 6,392,692 B1).

Regarding ***claim 20***, Huff discloses in a mobile platform (see column 13 lines 37-62 and FIGURE 5), a security system for monitoring an onboard communication system communicating over a wireless link, which reads on claimed "intermittent link," (see column 5 lines 19-20, lines 59-64 and column 61-65), the security system comprising:

- an onboard network (100, 700,732) accessible to a plurality of users, wherein the users are taught by Huff et al. to be internal and external users. See column 3 lines 2-9;
- a security server (114, 500, 600) onboard the mobile platform, which reads on claimed "intrusion detection system," connected to the onboard network (100, 700,732); and See FIGURE 1 column 5 lines 33-53 and FIGURE 5 column 13 lines 44-62;

- an Response Engine Module (272), which reads on claimed "onboard security management system," which resides in the said security server (114), responsive to the said server (114) for initiating an action to stop intrusion based on a set of object, which collectively called agents or missions), which reads on claimed "policies." See column 9 lines 6-17; and
- wherein, if an update is necessary, the policies being updated during the time that the intermittent link has connection. See column 8 lines 59-63.

However, Huff does not explicitly state wherein the said security system communicates with a terrestrial-based system.

Monroe teaches, as referenced by FIGURE 6 of a safety and surveillance equipment (transport installed system), residing on the said commercial vehicles, which reads on claimed "mobile network platform", the said transport installed system being interconnected via a link to the ground station or personal security unit, as disclosed in column 2 lines 46-48, 56-61, which reads on claimed "terrestrial-based network security management system."

Therefore, at the time of the invention it would have been obvious to a person of ordinary skilled in the art to modify Huff et al. in view of Monroe in order to provide a security monitoring system capable of being implemented on a mobile platform used to monitor and transmit intrusion information back to a terrestrial-based system.

Regarding **claim 21**, as the combination of Huff et al. and Monroe are made, the combination according to **claim 20**, Huff continues to disclose wherein initiating the

Art Unit: 2686

action to stop intrusion comprises sending an alert, which reads on claimed "warning," message to the user. See column 12 lines 2-8.

Regarding **claims 22 and 31**, as the combination of Huff et al. and Monroe are made, the combination according to **claims 20 and 28**, Huff continues to disclose wherein initiating the action to stop intrusion comprises disconnecting the user's access to the onboard network. See column 11 lines 38-45.

Regarding **claims 23, 30 and 36**, as the combination of Huff et al. and Monroe are made, the combination according to **claims 20, 28 and 34**, Huff continues to disclose wherein the said Response Engine Module (272), further operates to provide an alert message when an intrusion event is detected. See column column 11 lines 45-51.

However, Huff fails to expressly teach of sending the message to a terrestrial-based system.

Monroe teaches in column 12 lines 41-52 where information is sent from the aircraft to the ground base surveillance system.

Therefore, at the time of the invention it would have been obvious to a person of ordinary skilled in the art to modify Huff et al. in view of Monroe in order to provide a security monitoring system capable of being implemented on a mobile platform used to monitor and transmit intrusion information back to a terrestrial-based system.

Regarding **claims 24 and 37**, as the combination of Huff et al. and Monroe are made, the combination according to **claims 20 and 34**, Huff continues to disclose wherein the Response Engine Module (272) further operates to install a network traffic blocking filter (firewall) on one of a plurality of user access points of the onboard network. See column 5 lines 36-53.

Regarding **claim 25**, as the combination of Huff et al. and Monroe are made, the combination according to **claim 20**, Huff fails to clearly disclose wherein to stop intrusion is directed to a specific one of a plurality of user access points of the onboard network.

Monroe continue to teach wherein the said comprehensive surveillance system is comprised wherein the said transport installed system includes a plurality of sensors, which reads on claimed "plurality of user access points", such that the said breach of security is associated with one of the said plurality of sensors and the said response is directed to said one of the plurality of sensors, as disclosed in column 16 lines 28-36.

Therefore, at the time of the invention it would have been obvious to a person of ordinary skill in the art to modify Huff et al. in view of Monroe in order to provide a security monitoring system capable of being implemented on a mobile platform used to monitor and transmit intrusion information back to a terrestrial-based system.

Regarding **claims 26**, as the combination of Huff et al. and Monroe are made, the combination according to **claims 20**, Huff continues to disclose wherein the Response

Art Unit: 2686

Engine Module (272) maintains an indicator of a current operational state of each one of a plurality of network user access points of the onboard network. See column 12 lines 2-24.

Regarding **claims 27**, as the combination of Huff et al. and Monroe are made, the combination according to **claims 26**, Huff continues to disclose wherein the indicator indicates one of:

- a defensive category, which reads on claimed "normal operational state." See column 11 lines 22-32;
- a misdirection category, which reads on claimed "suspect operational state "," wherein an intrusion event is suspected. See column 11 lines 32-38, and
- a offensive category, which reads on claimed "disconnect state," in which access by a user of a specific access point on the onboard network is prevented. See column 11 lines 38-45.

Regarding **claim 28**, Huff discloses in a mobile platform (see column 13 lines 37-62 and FIGURE 5), a security system for monitoring an onboard communication system communicating over a wireless link, which reads on claimed "intermittent link," (see column 5 lines 19-20, lines 59-64 and column 61-65), the security system comprising:

- an onboard network (100) accessible to a plurality of users, wherein the users are taught by Huff et al. to be internal and external users. See column 3 lines 2-9;

Art Unit: 2686

- a security server (114, 500, 600) onboard the mobile platform, which reads on claimed "intrusion detection system," connected to the onboard network (100, 700, 732); and See FIGURE 1 column 5 lines 33-53 and FIGURE 5 column 13 lines 44-62;
- an Response Engine Module (272), which reads on claimed "onboard security management system," which resides in the said security server (114), responsive to the said server (114) for initiating an action to stop intrusion based on a set of object, which collectively called agents or missions), which reads on claimed "policies." See column 9 lines 6-17; and
- wherein, the action can be directed, disclosed by Huff et al. as a misdirection category, wherein an intrusion event is suspected. See column 11 lines 32-38,
- the said Response Engine Module (272) maintains an indicator of a current operational state of each one of the plurality of network user access points of the onboard network, wherein the indicator indicates whether at least one of the following conditions are present:
 - a defensive category, which reads on claimed "normal operational state." See column 11 lines 22-32;
 - a misdirection category, which reads on claimed "suspect operational state "," wherein an intrusion event is suspected. See column 11 lines 32-38, and

- a offensive category, which reads on claimed "disconnect state," in which access by a user of a specific access point on the onboard network is prevented. See column 11 lines 38-45.

However, Huff does not explicitly state wherein the said security system communicates with a terrestrial-based system.

Monroe teaches, as referenced by FIGURE 6 of a safety and surveillance equipment (transport installed system), residing on the said commercial vehicles, which reads on claimed "mobile network platform", the said transport installed system being interconnected via a link to the ground station or personal security unit, as disclosed in column 2 lines 46-48, 56-61, which reads on claimed "terrestrial-based network security management system."

Therefore, at the time of the invention it would have been obvious to a person of ordinary skilled in the art to modify Huff et al. in view of Monroe in order to provide a security monitoring system capable of being implemented on a mobile platform used to monitor and transmit intrusion information back to a terrestrial-based system.

Regarding **claims 35 and 39**, as the combination of Huff et al. and Monroe are made, the combination according to **claims 34 and 38**, Huff continues to disclose wherein if an update to a set of policies is necessary, the policies are updated during the time that the intermittent link has a connection with the terrestrial-based system. See column 8 lines 59-63.

Regarding **claim 31**, as the combination of Huff et al. and Monroe are made, the combination according to **claim 28**, Huff continues to disclose wherein the action comprises preventing access to the onboard network from a selected one or more of the user access points from the onboard network.

Regarding **claims 34 and 38**, Huff discloses in a mobile platform (see column 13 lines 37-62 and FIGURE 5), a security system for monitoring an onboard communication system communicating over a wireless link, which reads on claimed "intermittent link," (see column 5 lines 19-20, lines 59-64 and column 61-65), the security system comprising:

- an onboard network (100) accessible to a plurality of users, wherein the users are taught by Huff et al. to be internal and external users. See column 3 lines 2-9;
- a security server (114, 500, 600) onboard the mobile platform, which reads on, claimed "intrusion detection system," connected to the onboard network (100, 700,732); and See FIGURE 1 column 5 lines 33-53 and FIGURE 5 column 13 lines 44-62;
- an Response Engine Module (272), which reads on claimed "onboard security management system," which resides in the said security server (114), responsive to the said server (114) for initiating an action to address potential intrusion event (see column 11 lines 22-45) based on a set of objects, which collectively called agents or missions), which reads on claimed "policies." See column 9 lines 6-17.

Further, the action is directed to one of the said plurality of users on the said onboard network (100). See column 11 lines 32-38; and

- wherein, the action includes, as disclosed by Huff et al. as a misdirection category, wherein an intrusion event is suspected or as a defensive category, which reads on claimed "normal operational state," where the user is notified. Additionally, the intruder can be blocked utilizing a offensive category, which reads on claimed "disconnect state," in which access by a user of a specific access point on the onboard network is prevented. See column 11 lines 38-45.

However, Huff does not explicitly state wherein the said security system communicates with a terrestrial-based system.

Monroe teaches, as referenced by FIGURE 6 of a safety and surveillance equipment (transport installed system), residing on the said commercial vehicles, which reads on claimed "mobile network platform", the said transport installed system being interconnected via a link to the ground station or personal security unit, as disclosed in column 2 lines 46-48, 56-61, which reads on claimed "terrestrial-based network security management system."

Therefore, at the time of the invention it would have been obvious to a person of ordinary skilled in the art to modify Huff et al. in view of Monroe in order to provide a security monitoring system capable of being implemented on a mobile platform used to monitor and transmit intrusion information back to a terrestrial-based system.

Response to Arguments

Applicant's arguments with respect to ***claims 20-28, 30-31 and 34-40*** have been considered but are moot in view of the new ground(s) of rejection.

The Examiner has fully considered the argument and amendments presented by the Applicant; however, per the above office action, the Examiner maintains that the cited prior art teaches of the claimed invention.

Regarding claim 20, the Applicant asserts that Huff teaches of the intrusion detection system as being on a separate platform. Consequently, per the above Office Action, Huff discloses in column 13 lines 44-62, wherein the security server, which reads on claimed "intrusion detection system," is indeed part or located on the truck, which reads on claimed "onboard network."

In addition, the Applicant's argues that Huff fails to expressly disclose of the use of an indicator to indicate various states of the security on the onboard network. The Examiner respectfully maintains that according Huff in column 11 and per the above office action, clearly discloses of three distinct security levels, which is in accordance to the Applicant's claimed invention.

Therefore, based on the above comments and the cited Office Action, ***claims 20-28, 30-31 and 34-40*** stand rejected.

Conclusion

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Randy Peaches whose telephone number is (571) 272-7914. The examiner can normally be reached on Monday - Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Joseph H. Feild can be reached on (571) 272-4090. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2686

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Randy Peaches
February 10, 2006

Jemica M. Beamer
JEMICA BEAMER
PRIMARY EXAMINER
2/15/06